Index to Vol. 25

1980

Compiled by Celinda R. Crews and Arthur H. Harris

A

Abundance: of macroinvertebrates of a Colorado high mountain stream, 23

Adaptations: for feeding in *Eurycea tynerensis*, 111

Agapetus boulderensis: in Colorado stream affected by coal strip-mining, 453

Age distribution: of *Canis latrans* in Texas, 275

Albinotism: in California opossum, 560

Alexander, Martin E.: Four fire scar records on lodgepole pine *(Pinus contorta* Dougl.) in north-central Colorado, 432

Allen, Walter. *See* Jackson, Crawford G., Jr., et al., 430

Ambystoma tigrinum: in Oklahoma, 391

Ammospermophilus interpres: recorded for Zacatecas, 568

Ammotrechula penninsulana: temporary foraging areas and burrows, 95

Amphispiza belli, A. bilineata: breeding populations in Nevada desert scrub, 173

Anderson, Loran C.: Morphology and biogeography of *Chrysothamnus nauseosus* ssp. *texensis* (Asteraceae): a new Guadalupe Mountains endemic, 197

Andropogon spadiceus: in Texas, 557

Anostraca: mating behavior in *Streptocephalus*, 541

Ants: visiting extrafloral nectaries of *Ferocactus gracilis*, 181

Aquatic insects: of a Colorado stream affected by strip-mining, 453

Ardea herodias: nesting on cardon cactus, 103

Arizona: site preferences and community characteristics of *Cupressus arizonica*, 9; observations on temporary foraging areas and burrows of *Ammotrechula penninsulana*, 95; insect pollination of *Opuntia*, 104; habitat preference of *Onychomys torridus* in desert grassland, 266; growth patterns of saguaro, 339; hybrid deer, 434; relationship of rock outcrop microhabitat to germination, water relations, and phenology of *Erythrina flabelliformis*, 443; freshwater triclads (Turbellaria), 469; birth behavior and life history of *Diplocentrus spitzeri*, 517; food limiting effects on *Sceloporus jarrovi*, 554; Hematozoa in mourning doves, 558

Asbury, Kenneth, William J. Matthews, and Loren G. Hill: Attraction of *Notropis lutrensis* to water conditioned by the presence of conspecifics, 525

B

Baculum: variation in *Dipodomys* of *heermanni* group, 529

Bahti, Kurt F. *See* Krausman, Paul R., and . . . 260

Baja California: a new genus of pseudoscorpion, *Interchernes*, 89; a new species of pseudoscorpion, *Interchernes clarkorum*, 89; ants visiting extrafloral nectaries of *Ferocactus gracilis*, 181; bacular variation in *Dipodomys* of the *heermanni* group, 529

Baker, Mary W. *See* Baker, Rollin H., et al., 568

Baker, Rollin H., Mary W. Baker, Jerry D. Johnson, and Robert G. Webb: New records of mammals and reptiles from northwestern Zacatecas, Mexico, 568

Ballinger, Royce E.: Food limiting effects in populations of *Sceloporus jarrovi* (Iguanidae), 554

Banner markings: and pollination in *Lupinus texensis*, 280

Bartush, William S. *See* Litvaitis, John A., and . . . 117

Bee: burrow turret function, 373

Behavior: foraging and burrowing in *Ammotrechula penninsulana*, 95; burrowing in *Nerodia* and *Regina*, 107; feeding in *Eurycea tynerensis*, 111; nest-building in *Peromyscus leucopus*, 438; mating in *Streptocephalus*, 541; copulatory behavior of *D. microps*, 562

Behrends, Philip R.: Copulatory behavior of *Dipodomys microps* (Heteromyidae), 562

Benthic macroinvertebrates: species composition and diversity in upper Rio Grande, Texas, 137; species composition and diversity in Pecos River, 241; species composition and diversity in lower Devil's River, 379; recovery following toxic chemical discharge, 547

Berry, Charles R., Jr. *See* McAda, Charles W., et al., 41
Best, Troy L.: Bacular variation in kangaroo rats (genus *Dipodomys*) of the *heermanni* group in Baja California, Mexico, 529
Biogeography: of montane mammalian fauna of New Mexico, 33; Pleistocene of New Mexico, 33
Biomass production: of *Lepomis cyanellus* in a eutrophic desert pond, 297
Birth behavior: of *Diplocentrus spitzeri*, 517
Blom, Paul E., and William H. Clark: Observations of ants (Hymenoptera: Formicidae) visiting extrafloral nectaries of the barrel cactus, *Ferocactus gracilis* Gates (Cactaceae), in Baja California, Mexico, 181
Bolen, Eric G. *See* Rylander, Michael K., et al., 126
Botanical relationships: of *Spartina spartinae*, 397
Botulism: in waterfowl on Texas playa lakes, 566
Breeding birds: populations in Nevada desert scrub community, 173
Brenneman, William M.: Occurrence of *Stephensoniana trivandrana* in North America, with an additional record for *Dero (Aulophorus) flabelliger* (Oligochaeta: Naididae), 261
Bristol, John R. *See* Mayberry, Lillian F., et al., 125
Brown, Charles R.: Purple martins feeding on cicadas, 553
Bufo debilis: field observations in Durango, Mexico, 115
Burns, Thomas A., Dick T. Stalling, and William Goodger: Gar ichthyootoxin—its effect on crayfish, with notes on bluegill sunfish, 513
Burrowing behavior: in *Nerodia* and *Regina*, 107
Burrow: structure in *Ammotrechula penninsulana*, 95; turrets in gregarious nesting bee, 373
Buscher, Henry N. *See* Tyler, Jack D., and . . . 391

C

California: a new harvester ant, 151; diet of feral *Xenopus laevis*, 272; burrow turret function in a gregarious nesting bee, 373; ecology of *Lavinia exilicauda*, 385; facultative territoriality in Townsend's solitaire, 461; records of albinotic opossums, 560
Callahan, J.R.: Taxonomic status of *Eutamias bulleri*, 1
Campbell, Malcolm R.: Records of albinotic opossums from central California, 560
Campbell, Stephen L. *See* Hillis, David M., et al., 271
Canis latrans: predation on adult *Odocoileus hemionus*, 113; interactions with *Odocoileus virginianus* during fawning season, 117; age distribution and weight, 275
Canton, Steven P., and James V. Ward: The aquatic insects, with emphasis on Trichoptera, of a Colorado stream affected by coal strip-mine drainage, 453
Carlowrightia: key to species of USA, 425; range extensions, 425
Carlowrightia arizonica: new to San Luis Potosí, Chihuahua, and Coahuila, 425
Carlowrightia parvifolia: new to Texas, 425
Carnegiea gigantea. See Saguaro.
Catostomus discobolus, C. latipinnis: in San Rafael River System, Upper Colorado River Basin, 41
Ceballos, Gerardo. *See* Ramírez-Pulido, José, et al., 124
Cenchrus incertus: blocking mourning dove esophagus, 428
Cercidium microphyllum: as nurse tree for saguaro, 357
Cereus giganteus. See Saguaro.
Chagas disease: ruduviids infected with *Trypanosoma cruzi* in Texas, 565
Checklist: flora of South Padre Island, 313; flora of Little Sahara State Park, 323
Chersodromus rubriventris: additional specimen, 429
Chesser, Ronald K. *See* Schnell, Gary D., et al., 67
Chiracanthium inclusum: eggs fed on by *Pyemotes tritici*, 264
Chihuahua: first record of *Carlowrightia arizonica*, 425
Chihuahuan Desert: sunfish production in a eutrophic pond, 297; Holocene plant remains, 361; new records of mammals and reptiles from Zacatecas, 568
Chironomidae: early stream colonizers after toxic chemical discharge, 547
Chlorophyceae: zoospore induction and activity in *Fritschiella tuberosa*, 351
Cholera, avian: in waterfowl on Texas playa lakes, 566
Chromosomal inversions: in *Drosophila pseudoobscura* in Mexico, 479
Chromosome number: of Southwestern and Mexican grasses, 278
Chrysothamnus nauseosus ssp. **texensis:** new Guadalupe Mountains endemic, 197
Cicadas: purple martins feeding on, 553
Clark, William H. *See* Blom, Paul E., and . . . 181
Cnemidophorus scalaris: field observations in Durango, Mexico, 115
Coahuila: *Carlowrightia arizonica* new to, 425;

inversion polymorphism of a *Drosophila pseudoobscura* population, 479; occurrence of *Andropogon spadiceus*, 557
Coccidium: of *Isospora californica*, 125
Cokendolpher, James C., and Norman V. Horner: The female of *Xysticus robinsoni* (Araneae: Thomisidae), 109
Coleonyx brevis: first record for Zacatecas, 568
Colorado: macroinvertebrates of a high mountain stream, 23; distribution of fishes in San Rafael River System, 41; predation of *Canis latrans* on *Odocoileus hemionus*, 113; litter survival of *Peromyscus maniculatus* in nest box, 259; fire scars on *Pinus contorta*, 432; aquatic insects of a stream affected by coal strip-mining, 453; high density of avian cavity-nesters in aspen, 560
Colorado River Basin: distribution of fishes in San Rafael River System, 41
Community characteristics: of *Cupressus arizonica*, 9
Compton, Thomas L.: Coyote predation on an adult deer in southwestern Colorado, 113
Conn, J. S., and E. K. Snyder-Conn: The relationship of the rock outcrop microhabitat to germination, water relations, and phenology of *Erythrina flabelliformis* (Fabaceae) in southern Arizona, 443
Copulatory behavior: of *Dipodomys microps*, 562
Coryphantha vivipara: fed on by *Terrapene ornata*, 438
Cothran, E. Gus. *See* Felley, James D., and . . . 564
Craspedacusta sowerbii: recurrence in Little River System, 426
Crayfish: effect of gar ichthyootoxin on, 513
Crenichthys baileyi: taxonomic status and morphology of isolated populations, 485
Crenichthys baileyi albivallis, C. b. grandis, C. b. moapae, C. b. thermophilus: new subspecies, 485
Cross, Earle A. *See* Grim, J. Norman, and . . . 264
Cupressus arizonica: site preferences and community characteristics, 9
Cushing, Bruce S. *See* Gore, James A., and . . . 95
Cygnus atratus: incubation, 126
Cyprinodon eximius: rediscovery, distribution, and populational status in Devil's River, 81
Cyprinodon pecosensis: diet, 535

D

Dalquest, Walter W.: *Hesperohipparion* (Mammalia: Equidae), a new genus of horse from the Hemphillian of North America, with description of a new species, 505
Daniel, Thomas F.: Range extensions of *Carlowrightia* (Acanthaceae) and a key to the species of the United States, 425
Davis, Jack R.: Diet of the Pecos River pupfish, *Cyprinodon pecosensis* (Cyprinodontidae), 535
Davis, Jack R.: Rediscovery, distribution, and populational status of *Cyprinodon eximius* (Cyprinodontidae) in Devil's River, Texas, 81
Davis, Jack R.: Species composition and diversity of benthic macroinvertebrate populations of the Pecos River, Texas, 241
Davis, Jack R.: Species composition and diversity of benthic macroinvertebrates in the upper Rio Grande, Texas, 137
Davis, Jack R.: Species composition and diversity of benthic macroinvertebrates of lower Devil's River, Texas, 379
Day, Gerald I.: Characteristics and measurements of captive hybrid deer in Arizona, 434
Dendrocygna spp.: incubation patches, 126
Density: of benthic macroinvertebrates in the upper Rio Grande, Texas, 137; of breeding birds in a Nevada desert scrub community, 173
Dero flabelliger: additional record for North America, 261
Devil's River, Texas: *Cyprinodon eximius*, 81; benthic macroinvertebrates, 379
Diadasia bituberculata: burrow turret functions, 373
Didelphis virginiana: albinotic, 560
Diersing, Victor E.: Systematics of flying squirrels, *Glaucomys volans* (Linnaeus), from Mexico, Guatemala, and Honduras, 157
Diet: of feral *Xenopus laevis* in California, 272; of *Ambystoma tigrinum*, 381; of *Lavinia exilicauda*, 385; of *Cyprinodon pecosensis*, 535; of *Progne subis*, 553
Diplocentrus spitzeri: birth behavior and life history, 517
Dipodomys: bacular variation in *heermanni* group, 529
Dipodomys agilis, D. antiquarius, D. gravipes: bacular variation, 529
Dipodomys microps: copulatory behavior, 562
Dipodomys paralius, D. peninsularis: bacular variation, 529
Dispersal: in *Tympanuchus pallidicinctus*, 124
Distler, Donald A. *See* Smith, David L., and . . . 547
Distribution: *Eutamias bulleri*, 1; montane mammals of New Mexico, 33; fishes in San Rafael River System, 41; *Cyprinodon eximius* in Devil's River, 81; *Xysticus robinsoni*, 109; *Glaucomys volans* in Mexico, Guatemala, and

Honduras, 157; *Chrysothamnus nauseosus* ssp. *texensis*, 197; *Larus thayeri in Texas*, 257; *Microtus pennsylvanicus* in New Mexico, 260; *Halticotoma valida* in New Mexico, 267; inland records of *Fundulus grandis*, 271; two species of oaks, 283; freshwater triclads in Arizona, 469; mammals and reptiles new to Zacatecas, 568; *Grus grus* in West Texas, 569
Diversity: of benthic macroinvertebrates in upper Rio Grande, Texas, 137; of benthic macroinvertebrate populations of Pecos River, 241; of benthic macroinvertebrates in lower Devil's River, 379
Dixon, James R. *See* Kofron, Christopher P., and . . . 107
Dixon, James R. *See* McCoid, Michael J., et al., 429
Dodd, C. Kenneth: Notes on the feeding behavior of the Oklahoma salamander, *Eurycea tynerensis* (Plethodontidae), 111
Drawe, D. L. *See* Scifres, C. J., et al., 397
Drosophila pseudoobscura: inversion polymorphism in Saltillo population, 479
Dugesia arizonensis, D. dorotocephala: in Arizona, 469
Durango: distribution of *Eutamias bulleri*, 1; observations on reptiles and amphibians, 115; comparison of small mammal populations, 122
Duszynski, Donald W. *See* Mayberry, Lillian F., et al., 125

E

Ecology: of *Glaucomys volans*, 157; of *Lavinia exilicauda*, 385
Edaphic relationships: of *Spartina spartinae*, 397; of *Erythrina flabelliformis*, 443
Endemism: *Chrysothamnus nauseosus* ssp. *texensis*, 197
Espinoza-Velazquez, J., and V. M. Salceda: Inversion polymorphism of a *Drosophila pseudoobscura* population of Saltillo, Coahuila, Mexico, 479
Eurycea tynerensis: feeding behavior, 111
Eutamias bulleri bulleri, E. b. durangae, E. b. solivagus, E. canipes: taxonomic status, 1

F

Fecundity: of *Lavinia exilicauda*, 385
Feeding: in *Nerodia rhombifera*, 107; of *Eurycea tynerensis*, 111; *Pyemotes tritici* on *Chiracanthium inclusum* eggs, 264; *Halticotoma valida* on *Yucca baccata*, 267; of feral *Xenopus laevis*, 272; *Terrapene ornata* on *Coryphantha vivipara*, 438; purple martins on cicadas, 553
Felley, James D., and E. Gus Cothran: *Notropis bairdi* (Cyprinidae) in the Cimarron River, Oklahoma, 564
Ferocactus gracilis: ants visiting extrafloral nectaries, 181
Fire scars: on *Pinus contorta* in Colorado, 432
Folse, L. J., Jr. *See* Grant, W. E., et al., 215
Food: limiting effects in *Sceloporus jarrovi*, 554
Foraging behavior: of *Ammotrechula peninsulana*, 95
Fowler, Harold G.: New state record for *Halticotoma valida* (Hemiptera: Miridae) with notes on populations, 267
Francke, Oscar F.: Birth behavior and life history of *Diplocentrus spitzeri* Stahnke (Scorpiones: Diplocentridae), 517
French, N.R. *See* Grant, W. E., et al., 215
Fritschiella tuberosa: zoospore induction and activity, 351
Fritts, Thomas H. *See* McCoid, Michael J., and . . . 272
Fundulus grandis: inland records in Texas, 271

G

Gambusia affinis: habitat partitioning, 51
Garippa, David. *See* Wilson, Gerald T., et al., 565
Geary, R. Eugene, and Peter B. Moyle: Aspects of the ecology of the hitch, *Lavinia exilicauda* (Cyprinidae), a persistent native cyprinid in Clear Lake, California, 385
Geomys bursarius: effects of mounds on plant production, 215
Germination: of *Erythrina flabelliformis*, 443
Gila robusta: in San Rafael River System, 41
Glaucomys volans: systematics, distribution, and habitat of four subspecies from Mexico, Guatemala, and Honduras, 157
Glaucomys volans guerreroensis, new subspecies, 157
Glossosoma ventrale: in Colorado stream affected by coal strip-mining, 453
Goodger, William. *See* Burns, Thomas A., et al., 513
Gopherus agassizii: gigantic specimen, 430
Gore, James A., and Bruce S. Cushing: Observations on temporary areas and burrows of the sun spider, *Ammotrechula penninsulana* (Banks) (Arachnida: Solpudida), 95
Grant, W. E., N. R. French, and L. J. Folse, Jr.: Effects of pocket gopher mounds on plant production in shortgrass prairie ecosystems, 215
Grasses: chromosome numbers from Southwest and Mexico, 278

Greiner, Ellis C., and Lou Sileo: Hematozoa from mourning doves in Arizona, 558
Grim, J. Norman, and Earle A. Cross: An instance of the mite *Pyemotes* sp. feeding on spider eggs (Acarina: Tarsonemoidea), 264
Growth: of *Lavinia exilicauda*, 385
Growth patterns: in saguaro, 339
Grus grus: sighted in West Texas, 569
Guadalupe Mountains: distribution of *Chrysothamnus nauseosus* ssp. *texensis*, 197
Guatemala: systematics, distribution, and habitat of *Glaucomys volans*, 157
Guthery, Fred S. *See* Meinzer, Wyman P., and . . . 275
Guthery, Fred S. *See* Taylor, Maple A., and . . . 124

H

Habitat: of *Glaucomys volans* in Mexico, Guatemala, and Honduras, 157
Habitat partitioning: in fish community, 51
Habitat preference: of *Onychomys torridus* in desert grassland, 266
Hall, Shelly L., and James K. McPherson: Geographic distribution of two species of oaks in Oklahoma in relation to seasonal water potential and transpiration rates, 283
Halticotoma valida: New Mexico state record and population notes, 267
Hatch, Stephen L.: Chromosome numbers of some grasses from the southwestern United States and Mexico, 278
Hematozoa: in mourning doves, 558
Hemphillian: new genus of horse, 505
Hesperohipparion: new genus, 506
Hesperohipparion floresi: new combination and type species, 506
Hesperohipparion stirtoni: new species, 510
Hill, Herbert O.: Breeding birds in a desert scrub community in southern Nevada, 173
Hill, Loren G. *See* Asbury, Kenneth, et al., 525
Hill, Loren G. *See* Matthews, William J., and . . . 51
Hill, Loren G. *See* Schene, M. Anthony, Jr., and . . . 120
Hillis, David M., Elisabeth Milstead, and Stephen L. Campbell: Inland records of *Fundulus grandis* (Cyprinodontidae) in Texas, 271
Holland, Robert. *See* Petranka, James W., and . . . 207
Holocene: plant remains from New Mexico, 361
Honduras: systematics, distribution, and habitat of *Glaucomys volans*, 157
Hopkins, Archibald W.: Zoospore induction and activity in *Fritschiella tuberosa* Iyengar (Chlorophyceae), 351
Horner, Norman V. *See* Cokendolpher, James C., and . . . 109
Hybognathus placitus: habitat partitioning, 51
Hybrids: in captive deer, 434
Hydropsyche spp.: in Colorado stream affected by coal strip-mining, 453

I

Ichthyootoxin, gar: effects on crayfish and bluegill sunfish, 513
Ictalurus melas, I. punctatus: in San Rafael River System, 41
Identification problems: with *Larus thayeri*, 257
Incubation patches: in *Dendrocygna* spp., 126
Interchernes clarkorum: new genus and species, 89
Isospora californica: infection of *Peromyscus maniculatus*, 125

J

Jackson, Crawford G., Jr., M. Wilkinson Trotter, and Walter Allen: A gigantic specimen of *Gopherus agassizii* (Testudinidae), 430
Jalisco: notes on *Lampropeltis triangulum*, 269
Jester, Douglas B. *See* Mannes, John C., and . . . 297
Johnson, Jerry D. *See* Baker, Rollin H., et al., 568
Johnston, Marshall C.: *Andropogon spadiceus* (Poaceae), a Coahuilan species now known from Texas, 557
Judd, Frank W. *See* Lonard, Robert I., and . . . 313
Judd, Frank W., and Jose F. Lopez: Intraspecific variation in nest-building behavior of the white-footed mouse, *Peromyscus leucopus*, 438
Juniper-oak community: in early Holocene of New Mexico, 361

K

Kansas: *Terrapene ornata* feeding on *Coryphantha vivipera*, 438; recovery of benthic macroinvertebrate community following toxic chemical discharge, 547
Karban, Richard. *See* Yeaton, Richard I., et al., 339
Katz, Susan J.: Tool-using behavior of the pocket gopher, *Thomomys bottae* (Geomyidae)?, 270
Kimmel, Bruce L., Martha M. White, Steven R. McComas, and Brian B. Looney: Recurrence of the freshwater jellyfish, *Craspedacusta sowerbii* (Cnidaria: Hydrozoa), in the Little River System, southeastern Oklahoma, 426
King, Kirke A., Dennis L. Meeker, and Douglas M. Swineford: White-faced ibis populations and pollutants in Texas, 1969–1976, 225
Kofron, Christopher P.: Sperm of the coachwhip

Masticophis flagellum (Serpentes: Colubridae), and a method of preparation for scanning electron microscopy of vertebrate spermatozoa, 118
Kofron, Christopher P., and James R. Dixon: Observations on aquatic colubrid snakes in Texas, 107
Krausman, Paul R., and Kurt F. Bahti: *Microtus pennsylvanicus* in southwestern New Mexico, 260

L
Lampropeltis triangulum: natural history notes on Jalisco specimen, 269
Langley, William: Habitat preference of *Onychomys torridus* (Muridae) in a desert grassland, 266
Larval transformation: in *Ambystoma tigrinum*, 381
Larus thayeri: problem in identification, 257
Lavinia exilicauda chi: ecology, 385
Lederer, Roger J.: Facultative territoriality in Townsend's solitaire *(Myadestes townsendi)*, 461
Length-weight relationships: in *Ambystoma tigrinum*, 381
Lepisosteus oculatus, L. osseus, L. spatula: effects of ichthyootoxin, 513
Lepidostoma moneka: in Colorado stream affected by coal strip-mining, 453
Lepomis cyanellus: age, growth, abundance, and biomass production, 297
Lepomis macrochirus: effects of gar ichthyootoxin, 513
Leverick, Wesley J. *See* Schaal, Barbara A., and . . . 280
Life history: of *Diplocentrus spitzeri*, 517
Lillywhite, H. *See* North, F., and . . . 373
Listera australis: record for Oklahoma, 275
Litter survival: of *Peromyscus maniculatus* in nest boxes, 259
Little River System: recurrence of *Craspedacusta sowerbii*, 426
Litvaitis, John A., and William S. Bartush: Coyote-deer interactions during the fawning season in Oklahoma, 117
Lonard, Robert I., and Frank W. Judd: Phytogeography of South Padre Island, Texas, 313
Looney, Brian B. *See* Kimmel, Bruce L., et al., 426
Lopez, Jose F. *See* Judd, Frank W., and . . . 438
Louisiana: occurrence of *Stephensoniana trivandrana* and a record for *Dero flabelliger*, 261
Lupinus texensis: pollination and banner markings, 280

M
MacKay, William P.: A new harvester ant from the mountains of southern California (Hymenoptera: Formicidae), 151
Macroinvertebrates: of a Colorado high mountain stream, 23; in upper Rio Grande, Texas, 137; in Pecos River, 241; in lower Devil's River, 379; recovery following toxic chemical discharge, 547
Magrath, Lawrence K.: *Listera australis* Lindley (Orchidaceae) new for Oklahoma, 275
Manis, Archie. *See* Wilson, Gerald T., et al., 565
Mannes, John C., and Douglas B. Jester: Age and growth, abundance, and biomass production of green sunfish, *Lepomis cyanellus* (Centrachidae), in a eutrophic desert pond, 297
Martin, Donald C. *See* Tacha, Thomas C., et al., 569
Masticophis flagellum: external morphology of sperm, 118
Mating behavior: in *Streptocephalus* fairy shrimps, 541
Matthews, William J., and Loren G. Hill: Habitat partitioning in the fish community of a Southwestern river, 51
Matthews, William J. *See* Asbury, Kenneth, et al., 525
Mayberry, Lillian F., John R. Bristol, and Donald W. Duszynski: *Isospora californica* (Protozoa: Eimeriidae) in *Peromyscus maniculatus* (Cricetidae) from White Sands National Monument, New Mexico, 125
McAda, Charles W., Charles R. Berry, Jr., and Charles E. Phillips: Distribution of fishes in the San Rafael River System of the Upper Colorado River Basin, 41
McAtee, J. W. *See* Scifres, C. J., et al., 397
McCamant, Richard E. *See* Rylander, Michael K., et al., 126
McCoid, Michael J., and Thomas H. Fritts: Notes on the diet of a feral population of *Xenopus laevis* (Pipidae) in California, 272
McCoid, Michael J., Jack W. Sites, Jr., and James R. Dixon: An additional specimen of *Chersodromus rubriventris* (Colubridae), 429
McComas, Steven R. *See* Kimmel, Bruce L., et al., 426
McPherson, James K. *See* Hall, Shelly L., and . . . 283
Meeker, Dennis, L. *See* King, Kirke A., et al., 225
Meinzer, Wyman P., and Fred S. Guthery: Age distribution and weights of coyotes in northwestern Texas, 275
Menidia audens: effects of dissolved oxygen concentrations on temperature selection, 120; competitive relationship with *Lavinia exilicauda*, 385

Mexico: distribution of *Eutamias bulleri*, 1; new genus and species of pseudoscorpion from Baja California, 89; nesting of *Ardea herodias* and *Pandion haliaetus* on Tiburon Island, 103; field observations on reptiles and amphibians, 115; comparison of small mammal populations, 122; record of *Myotis volans*, 124; systematics, distribution, and habitat of *Glaucomys volans*, 157; ants visiting extrafloral nectaries of *Ferocactus gracilis* in Baja California, 181; *Lampropeltis triangulum* from northern Jalisco, 269; grass chromosome numbers, 278; gigantic specimen of *Gopherus agassizii*, 430; inversion polymorphism of a *Drosophila pseudoobscura* population from Saltillo, 479; bacular variation in *Dipodomys* of the *heermanni* group, 529; occurrences of *Andropogon spadiceus*, 557; new records of mammals and reptiles from Zacatecas, 568

Microtus ochrogaster: populations in Oklahoma, 67

Microtus pennsylvanicus: in southwestern New Mexico, 260

Milstead, Elisabeth. *See* Hillis, David M., et al., 271

Mimus polyglottis: breeding populations in Nevada desert scrub community, 173

Mitchell, Joseph C.: Notes on *Lampropeltis triangulum* (Colubridae) from northern Jalisco, Mexico, 269

Moore, Richard L., and C. David Simpson: Disease mortality of the waterfowl on Texas playa lakes, 566

Morphology: of *Glaucomys volans*, 157; of *Chrysothamnus nauseosus* ssp. *texensis*, 197; of isolated populations of *Crenichthys baileyi*, 485

Mortality: of waterfowl by disease on Texas playa lakes, 566

Moyle, Peter B. *See* Geary, R. Eugene, and . . . 385

Muchmore, William B.: *Interchernes*, a new genus of pseudoscorpion from Baja California (Pseudoscorpionida: Chernetidae), 89

Muma, Martin H.: Solpugid (Arachnida) populations in a creosotebush vs. mixed plant association, 129

Myadestes townsendi: facultative territoriality, 461

Myotis volans amotus: in central Mexico, 124

N

Natural history: *Lampropeltis triangulum*, 269

Neotoma: nest with reduviids infected with *Trypanosoma cruzi*, 565

Nerodia fasciata, N. rhombifera: burrowing and feeding behavior, 107

Nerodia erythrogaster: burrowing behavior, 107

Nest-building behavior: intraspecific variation in *Peromyscus leucopus*, 438

Nesting: behavior and preference in *Ardea herodias* and *Pandion haliaetus*, 103; in cavities in aspen, 560

Nevada: breeding birds in a desert scrub community, 173; taxonomic status and morphology of isolated populations of *Crenichthys baileyi*, 485

New Mexico: montane mammal biogeography, 33; record of *Stenosiphon linifolius*, 103; *Isospora californica* infecting *Peromyscus maniculatus*, 125; solpugid populations, 129; distribution of *Chrysothamnus nauseosus* ssp. *texensis*, 197; *Microtus pennsylvanicus* in southwestern portion, 260; new record for *Halticotoma valida*, 267; grass chromosome numbers, 278; *Lepomis cyanellus* in desert pond, 297; Holocene plant remains, 361

Nixon, Stuart E.: Freshwater triclads (Turbellaria) of Arizona, 469

North, F., and H. Lillywhite: The function of burrow turrets in a gregariously nesting bee, 373

Notropis bairdi: in Cimarron River, Oklahoma, 564

Notropis girardi: habitat partitioning, 51

Notropis lutrensis: in San Rafael River System, 41; habitat partitioning, 51; attraction to water conditioned by conspecifics, 525

Nutrients: effect on plant development and sequence in artificial ponds, 411

O

Odocoileus hemionus: predation by *Canis latrans*, 113; hybrids with *O. virginianus*, 434

Odocoileus virginianus: interactions with *Canis latrans* during fawning season, 117; hybrids with *O. hemionus*, 434

Oklahoma: habitat partitioning in a fish community, 51; populations of small mammals, 67; quantitative analysis of bottomland communities, 207; feeding behavior of *Eurycea tynerensis*, 111; *Canis latrans–Odocoileus virginianus* interactions during fawning season, 117; effect of dissolved oxygen concentration on temperature selection in *Menidia audens*, 120; new record of *Listera australis*, 275; geographic distribution of two oaks, 283; annotated checklist of Little Sahara State Park flora, 323; *Ambystoma tigrinum*, 391; *Craspedacusta sowerbii* in Little River system, 426; attraction of *Notropis lutrensis* to water conditioned by conspecifics, 525; *Notropis bairdi* in Cimarron River, 564

Olness, A. *See* Troeger, W. W., and . . . 411
Onychomys torridus: in Durango, Mexico, 122; habitat preference in desert grassland, 266
Organ Pipe Cactus National Monument: saguaro growth patterns, 339
Opuntia chlorotica, O. phaeacantha: pollination by insects, 104
Owen, Robert D. *See* Schnell, Gary D., et al., 67
Oxygen: effect on temperature selection in *Menidia audens,* 120

P

Pachycereus pringlei: nesting site, 103
Packrat middens: Holocene plant remains in New Mexico, 361
Pandion haliaetus: nesting in cardon cactus, 103
Parasites: of *Peromyscus maniculatus,* 125; of *Ambystoma tigrinum,* 381
Parfitt, Bruce D., and Charles H. Pickett: Insect pollination of prickly-pears (Opuntia: Cactaceae), 104
Parker, Albert J.: Site preferences and community characteristics of *Cupressus arizonica* Greene (Cupressaceae) in southeastern Arizona, 9
Passmore, Michael F.: Blockage of mourning dove esophagus by an impacted sandbur, 428
Patterson, Bruce D.: Montane mammalian biogeography in New Mexico, 33
Patterson, Craig T. *See* Tacha, Thomas C., et al., 569
Pecos River: Species composition and diversity of benthic macroinvertebrate populations. 241
Perognathus penicillatus eremicus: recorded for Zacatecas, 568
Peromyscus leucopus: populations in Oklahoma, 67; intraspecific variation in nest-building behavior, 438
Peromyscus maniculatus: populations in Oklahoma, 67; infection by *Isospora californica,* 125; litter survival in nest boxes, 259
Peterson, Michael K.: A comparison of small mammal populations sampled by pit-fall and live-traps in Durango, Mexico, 122
Peterson, Michael K.: Field observations on reptiles and amphibians captured in pit-fall traps in Durango, Mexico, 115
Petranka, James W., and Robert Holland: A quantitative analysis of bottomland communities in south-central Oklahoma, 207
Phenology: of *Erythrina flabelliformis,* 443
Phillips, Charles E. *See* McAda, Charles W., et al., 41
Phosphorus: effect of phosphorus enrichment on pond vegetation, 411
Physicochemical parameters: of a Colorado high mountain stream, 23
Phytogeography: of South Padre Island, 313
Pickett, Charles H. *See* Parfitt, Bruce D., and . . 104
Pimephales promelas: in San Rafael River System, 41
Pinkowski, Ben: High density of avian cavity-nesters in aspen, 560
Pinus contorta: fire scar records in Colorado, 432
Plant development; in artificial ponds differentially treated, 411
Plant production: effects of pocket gopher mounds on, 215
Plegadis chihi: eggshell thickness, levels of pollutants, and population status, 225
Pogonomyrmex montanus: new species, 151
Pollination: of *Opuntia* by insects, 104; and banner markings in *Lupinus texensis,* 280
Pollution: and white-faced ibis populations, 225; of stream by coal strip-mining, 453; of stream by toxic chemical discharge, 547
Polycelis sp.: in Arizona, 469
Pond: eutrophic desert, production in, 297; artificial, plant development and sequence, 411
Population: notes on *Halticotoma valida,* 267; high density of avian cavity-nesters in aspen, 560
Populational status: of *Cyprinodon eximius* in Devil's River, 81
Population dynamics: of *Lepomis cyanellus,* 297; of saguaros, 357
Populus tremuloides: supporting high density of avian cavity-nesters, 560
Predation: *Canis latrans* on *Odocoileus hemionus,*113; *Canis latrans* on *Odocoileus virginianus* fawns, 117
Progne subis: feeding on cicadas, 553
Prostoia besametsa: in Colorado stream affected by coal strip-mining, 453
Ptychocheilus lucius: in San Rafael River System, 41
Pulich, Warren M.: A Thayer's gull specimen from Texas: a problem in identification, 257
Pyemotes tritici: feeding on spider eggs, 264

Q

Quercus marilandica, Q. velutina: geographic distribution in Oklahoma, 283
Queretaro: additional specimen of *Chersodromus rubriventris,* 429

R

Ramírez-Pulido, José, Gerardo Ceballos, and Stephen L. Williams: A noteworthy record of

the long-legged myotis *(Myotis volans)* from central México, 124
Rediscovery: of *Cyprinodon eximius* in Devil's River, 81
Reduviidae: infected by *Trypanosoma cruzi* in Texas, 565
Regina grahami: burrowing behavior, 107
Rhinichthys osculus: in San Rafael River System, 41
Rio Grande: species composition and diversity of benthic macroinvertebrates, 137
Risser, Paul G. *See* Schnell, Gary D., et al., 67
Risser, Paul G. *See* Sherwood, Ross T. Bowlin, and . . . 323
Rylander, Michael K., Eric G. Bolen, and Richard E. McCamant: Evidence of incubation patches in whistling ducks, 126

S
Salceda, V. M. *See* Espinoza-Velazquez, J., and . . 479
Saguaro: growth patterns, 339; relations to nurse trees, 357
San Luis Potosí: *Carlowrightia arizonica* new to, 424
San Rafael River System: distribution of fishes, 41
Scanning electron microscopy: micrographs of *Masticophis flagellum* sperm, 118; method of preparation of vertebrate spermatozoa, 118
Sceloporus jarrovi: food limiting effects on, 554
Sceloporus jarrovi lineolateralis: first record for Zacatecas, 568
Sceloporus maculosus: first record for Zacatecas, 568
Schaal, Barbara A., and Wesley J. Leverich: Pollination and banner markings in *Lupinus texensis* (Leguminosae), 280
Schene, M. Anthony, Jr., and Loren G. Hill: Effect of dissolved oxygen concentration on temperature selection in the Mississippi silversides, *Menidia audens* (Antherinidae), 120
Schnell, Gary D., Robert D. Owen, Ronald K. Chesser, and Paul G. Risser: Populations of small mammals in north-central Oklahoma, 67
Scifres, C. J., J. W. McAtee, and D. L. Drawe: Botanical, edaphic, and water relationships of gulf cordgrass *(Spartina spartinae* [Trin.] Hitch.) and associated communities, 397
Shake, Roy. *See* Wilson, Gerald T., et al., 565
Sherwood, Ross T. Bowlin, and Paul G. Risser: Annotated checklist of the vascular plants of Little Sahara State Park, Oklahoma, 323
Shortgrass prairie: effects of pocket gopher mounds on plant production, 215
Short, Robert A., and James V. Ward: Macroinvertebrates of a Colorado high mountain stream, 23
Sigmodon hispidus: populations in north-central Oklahoma, 67
Sileo, Lou. *See* Greiner, Ellis C., and . . . 558
Simpson, C. David. *See* Moore, Richard L., and . . . 566
Sites, Jack W., Jr. *See* McCoid, Michael J., et al., 429
Site preferences: of *Cupressus arizonica,* 9
Sleeper, Roger A.: Litter survival of deer mice *(Peromyscus maniculatus)* in nest boxes, 259
Smith, David L., and Donald A. Distler: Recovery of a benthic macroinvertebrate community following a toxic chemical discharge in a sandy plains stream, 547
Snyder-Conn, E. K. *See* Conn, J. S., and . . . 443
Solpugids: populations in a creosotebush vs. a mixed plant association, 129
Sonora: nesting of *Ardea herodias* and *Pandion haliaetus* in cardon cactus, 103
Sonoran Desert: nesting of *Ardea herodias* and *Pandion haliaetus* in cardon cactus, 103; saguaro growth patterns, 339; saguaro population fluctuations, 357
South Padre Island: phytogeography, 313
Spartina spartinae: botanical, edaphic, and water relationships, 397
Sperm: external morphology, *Masticophis flagellum,* 118; method of preparation for scanning electron microscopy, 118
Spermophilus mexicanus parvidens: first record for Zacatecas, 568
Spizella breweri: breeding populations in a Nevada scrub desert, 173
Stalling, Dick T. *See* Burns, Thomas A., et al., 513
Stenosiphon linifolius: first record for New Mexico, 103
Stephensoniana trivandrana: occurrence in North America, 261
Streptocephalus: mating behavior, 541
Strip-mining: effect on aquatic insects, 453
Sublette, Mary: A record of *Stenosiphon linifolius* (Nutt.) Heynh. (Onagraceae) from New Mexico, 103
Swepston, Danny A.: New records of the red fox *(Vulpes vulpes)* in West Texas, 565
Swineford, Douglas M. *See* King, Kirke A., et al., 225

T
Tacha, Thomas, Donald C. Martin, and Craig T. Patterson: Common crane *(Grus grus)* sighted in West Texas, 569

Taxonomy: *Eutamias bulleri* regarded as monotypic, 1; *Eutamias bulleri durangae* and *E. b. solivagus* referred to *E. canipes* complex, 1; **Interchernes clarkorum,** new genus and species, 89; **Pogonomyrmex montanus,** new species, 151; of *Glaucomys volans* in Mexico and Central America, with **G. v. guerreroensis** described, 157; **Chrysothamnus nauseosus** ssp. **texensis,** new subspecies, 197; of *Crenichthys baileyi,* with descriptions of **C. b. albivallis, C. b. thermophilus, C. b. grandis, C. b. moapae,** 485
Taylor, Maple A., and Fred S. Guthery: Dispersal of a lesser prairie chicken *(Tympanuchus pallidicinctus),* 124
Terrapene ornata: feeding on *Coryphantha vivipara,* 438
Territoriality: in *Myadestes townsendi,* 461
Texas: *Cyprinodon eximius* in Devil's River, 81; aquatic colubrid snakes, 107; female of *Xysticus robinsoni,* 109; dispersal in *Tympanuchus pallidicinctus,* 124; incubation patches in *Dendrocygna,* 126; benthic macroinvertebrates of upper Rio Grande, 137; description and distribution of *Chrysothamnus nauseosus* ssp. *texensis,* 197; white-faced ibis populations and pollutants, 225; benthic macroinvertebrate populations in Pecos River, 241; specimen of *Larus thayeri,* 257; inland records of *Fundulus grandis,* 271; age distribution and weights of *Canis latrans,* 275; chromosome numbers of grasses, 278; phytogeography of South Padre Island, 313; benthic macroinvertebrates of lower Devil's River, 379; botanical, edaphic, and water relationships of *Spartina spartinae,* 397; *Hesperohipparion stirtoni* described from Coffee Ranch local fauna, 505; diet of *Cyprinodon pecosensis,* 535; occurrence of *Andropogon spadiceus,* 557; red fox in West Texas, 565; reduviids infected with *Trypanosoma cruzi,* 565; disease mortality of waterfowl on playa lakes, 566; *Grus grus* in West Texas, 569
Thomasson, Joseph R.: Ornate box turtle, *Terrapene ornata* (Testudinae), feeding on pincushion cactus, *Coryphantha vivipara* (Cactaceae), 438
Thomomys bottae: possible tool-using behavior, 270
Thomomys talpoides: effects of mounds on plant production, 215
Thomomys umbrinus goldmani: first record from Zacatecas, 568
Thysanura: as solpugid predator, 95
Tool-use: possible in *Thomomys bottae,* 270
Toxicity: of gar ichthyootoxin, 513; recovery of benthic macroinvertebrate community after toxic event, 547
Toxostoma lecontei: breeding populations in a Nevada scrub desert, 173
Transpiration rates: of oaks in Oklahoma, 283
Traps: comparison of pit-fall and live traps, 122
Troeger, W. W., and A. Olness: Plant development and sequence in artificial ponds with or without phosphorus-enriched sediments, 411
Trotter, M. Wilkinson. *See* Jackson, Crawford G., Jr., et al., 430
Trypanosoma cruzi: infecting ruduviids in Texas, 565
Turbellaria: freshwater triclads of Arizona, 469
Tyler, Jack D., and Henry N. Buscher: Notes on a population of larval *Ambystoma tigrinum* (Ambystomatidae) from Cimarron County, Oklahoma, 391
Tympanuchus pallidicinctus: dispersal, 124

V

Vandermeer, John: Saguaros and nurse trees: a new hypothesis to account for population fluctuations, 357
Van Devender, Thomas R.: Holocene plant remains from Rocky Arroyo and Last Chance Canyon, Eddy County, New Mexico, 361
Vicariance: and montane mammalian biogeography in New Mexico, 33; and Pleistocene biogeography in New Mexico, 33
Vulpes vulpes: in West Texas, 565

W

Wagner, Holliday B. *See* Yeaton, Richard I., et al., 339
Ward, James V. *See* Canton, Steven P., and . . . 453
Ward, James V. *See* Short, Robert A., and . . . 23
Water: conditioning by presence of conspecifics, 525
Waterfowl: disease mortality on Texas playa lakes, 566
Water potential: in Oklahoma oaks, 283
Water relations: of *Erythrina flabelliformis,* 443; of *Spartina spartinae,* 397
Wauer, Roland H.: Great blue heron and osprey nest on cardon cactus on Tiburon Island, Sonora, Mexico, 103
Webb, Robert G. *See* Baker, Rollin H., et al., 568
Weight: age- and sex-specific in *Canis latrans,* 275
White, Martha M. *See* Kimmel, Bruce L., et al., 426
Wilde, Gene R. *See* Williams, Jack E., and . . . 485

Williams, Jack E., and Gene R. Wilde: Taxonomic status and morphology of isolated populations of the White River springfish, *Crenichthys baileyi* (Cyprinodontidae), 485
Williams, Stephen L. *See* Ramírez-Pulido, José, et al., 124
Wilson, Gerald T., David Garippa, Roy Shake, and Archie Manis: A search of wood rat *(Neotoma)* nests in Taylor and Jones counties, Texas, for the presence of Reduviidae infected with *Trypanosoma cruzi*, 565
Wiman, Fred H.: Mating behavior in the *Streptocephalus* fairy shrimps (Crustacea: Anostraca), 541

X
Xantusia vigilis extorris: first record for Zacatecas, 568
Xenopus laevis: diet in feral California population, 272
Xysticus robinsoni: description of first female specimens, 109

Y
Yeaton, Richard I., Richard Karban, and Holliday B. Wagner: Morphological growth patterns of saguaro (*Carnegiea gigantea:* Cactaceae) on flats and slopes in Organ Pipe Cactus National Monument, Arizona, 339
Yucca baccata: Halticotoma valida feeding on, 267

Z
Zacatecas: new records of mammals and reptiles, 568
Zenaida macroura: esophagus blockage by impacted sand bur, 428; Hematozoa in, 558